

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)				ATTY. DOCKET NO. 10173-102-999		APPLICATION NO. To be assigned	
				APPLICANT Dasseux and Oniciu			
				FILING DATE September 5, 2003		GROUP 1625	
U.S. PATENT DOCUMENTS							
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
B/D	AA	3,152,148	10/06/64	Easterly et al.			
B/D	AB	3,773,946	11/20/73	Creger			
B/D	AC	3,930,024	12/30/75	Creger			
B/D	AD	4,287,200	9/1/81	Kawamatsu et al.			
B/D	AE	4,584,321	4/22/86	Manghisi et al.			
B/D	AF	4,613,593	9/23/86	Yamatsu et al.			
B/D	AG	4,634,719	1/6/87	Takaishi et al.			
B/D	AH	4,689,344	8/25/87	Bar-Tana			
B/D	AI	4,711,896	12/8/87	Bar-Tana et al.			
B/D	AJ	4,714,762	12/22/87	Hoefle et al.			
B/D	AK	5,166,174	11/24/92	Ueno et al.			
B/D	AL	5,225,439	7/6/93	Ueno et al.			
B/D	AM	5,284,858	2/8/94	Ueno et al.			
B/D	AN	5,380,709	1/10/95	Ueno et al.			
B/D	AO	5,428,062	6/27/95	Ueno et al.			
B/D	AP	5,648,387	7/15/97	Bisgaier et al.			
B/D	AQ	5,750,569	5/12/98	Bisgaier et al.			
B/D	AR	5,756,344	5/26/98	Onda et al.			
B/D	AS	5,756,544	5/26/98	Bisgaier et al.			
B/D	AT	5,783,600	7/21/98	Bisgaier et al.			
B/D	AU	5,834,596	11/10/98	Ageland et al.			
B/D	AV	5,886,034	3/23/99	Ueno et al.			
B/D	AW	6,004,925	12/21/99	Dasseux, et al.			
B/D	AX	6,037,323	3/14/00	Dasseux			

FOREIGN PATENT DOCUMENTS								
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
Bp	AY	EP 88300709.8	1/28/88	EP				
Bp	AZ	WO 96/30328	10/3/96	PCT				
Bp	BA	WO 98/30530	7/16/98	PCT				
Bp	BB	WO 99/00116	1/07/99	PCT				
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)								
Bp	BC	Ackerly, et al., 1995, "A novel approach to dual-acting thromboxane receptor antagonist/synthase inhibitors based on the link of 1,3-dioxane-thromboxane receptor antagonists and -thromboxane synthase inhibitors", J. Med. Chem. <u>38</u> :1608-1628.						
Bp	BD	Acton et al., 1996, "Identification of scavenger receptor SR-BI as a high density lipoprotein receptor", Science. 271(5248):518-20.						
Bp	BE	Ahrens et al., 1967, "A direct method for preparing pyridoxal and 4-pyridoxic acid (1)", J. Heterocycl. Chem. <u>4</u> :625-26.						
Bp	BF	Alexander, K et al., 1948, "4,4'-Dichlorodibutyl ether and its derivatives from tetrahydrofuran", J. Am. Chem. Soc. <u>70</u> :1839-42.						
Bp	BG	Badimon et al., 1992, "Role of high density lipoproteins in the regression of atherosclerosis", Circulation 86(6 Suppl):III86-94.						
Bp	BH	Bailey, et al., 1990, "Convenient general method for the preparation of primary alkeyllithiums by lithium-iodine exchange", J. Org. Chem. <u>55</u> :5404-06.						
Bp	BI	Barrans et al., 1996, "Pre-beta HDL; structure and metabolism", Biochim. Biophys. Acta. 1300(2):73-85.						
Bp	BJ	Becker et al., 1982, "Intramolecular photoaddition of terminal allenes to conjugated cyclohexenones", J. Org. Chem. <u>47</u> : 3297-3310.						
Bp	BK	Bernady et al., 1979, "Prostaglandins and congeners. 20. ^{1,2} Synthesis of prostaglandins via conjugate addition of lithiummm <i>trans</i> -1- alkenyltrialkylalanate reagents. A novel reagent for conjugate 1,4-additions", J. Org. Chem. <u>44</u> :1438-47.						
Bp	BL	Bhanot et al., 1977, "Synthetic Studies on Terpenoids.5.Syntheses of γ - and δ -Lactones from β -(2,7-Dimethyl-1,2--dihydroxycycloheptyl)propionic Acid", J. Org. Chem. <u>42</u> :1623-1627.						
Bp	BM	Bisgaier et al., 1998, "A novel compound that elevates high density lipoprotein and activates the peroxisome proliferator activated receptor", J Lipid Res. 39(1):17-30.						
Bp	BN	Bisgaier et al., 1997, "Attenuation of plasma low density lipoprotein cholesterol by select 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors in mice devoid of low density lipoprotein receptors", J Lipid Res 38(12):2502-2515.						
Bp	BO	Bongini et al., 1979, "A simple and practical method for tetrahydropyranylation of alcohols and phenols", Synthesis 618-620.						
Bp	BP	Brown et al., 1965, "Selective reductions. VII. Reaction of lithium trimethoxyluminohydride with selected organic compounds containing representative functional groups", J. Am. Chem. Soc. <u>87</u> :5614-20.						
Bp	BQ	Brown et al., 1980, "Selective reductions. 26 Lithium triethylborohydride as an exceptionally powerful and selective reducing agent in organic synthesis. Exploration of the reactions with selected organic compounds containing representative functional groups, ^{1,2} ", J. Org. Chem <u>45</u> :1-12.						
Bp	BR	Bruce et al., 1998, "Plasma lipid transfer proteins, high-density lipoproteins, and reverse cholesterol transport", Annu Rev Nutr. 1998;18:297-330.						

BS	Campagna et al., 1994, "Cyclic Amidine Analogues of Taurine and Homotaurine: Synthesis and Effects on Rat Skeletal Muscle", Farmaco, Ed. Sci 49:653-658
BT	Carothers, 1924, "Platinum oxide as a catalyst in the reduction of organic compounds. V. The preparation of primary alcohols by the catalytic hydrogenation of aldehydes ¹ ", J. Am. Chem. Soc. 46:1675-83.
BU	Cerny et al., 1969, "Properties of Sodium Bis-(2-Methoxyethoxy_ Aluminum Hydride", Collect Czech Chem Commn. 34:1025-33.
BV	Chadwick et al., 1979, "Reaction between N-Alkylpyrroles and Alkyl-lithium Reagents" J. Chem Soc., Perkin Trans. I 2845.
BW	Chaikin et al., 1949, "Lithium Borohydride as a Reducing Agent", J. Am. Chem. Soc. 71:3245-46.
BX	Chen et al., 1998, "Asymetric total synthesis of phosphatidylinositol 3-phosphate and 4-phosphate derivatives", J. Org. Chem. 63:6511-22.
BY	Comins et al., 1981, "A one pot synthesis of unsymmetrical secondary alcohols from two grignard reagents", Tetrahedron Lett. 22:1085-88.
BZ	Corbridge, 1985, "Phosphorus: An Outline of Its Chemistry, Biochemistry and Technology", Studies in Inorganic Chemistry, 3 RD ed, pp. 357-395.
CA	Corey et al., 1978, "Total Synthesis of (S)-12 - Hydroxy-5,8,14-cis,-10-trans-eicosatetraenoic Acid (Samuelssons's HETE)", J. Am. Chem Soc. 100:1942-1943.
CB	Corey et al., 1979, "Useful procedures for the oxidation of alcohols involving pyridinium dichromate in aprotic media", Tetrahedron Lett. 5: 399-402.
CC	Corey et al., 1967, "A useful method for the conversion of alcohols into iodides", J. Org. Chem. 32: 4160-4161.
CD	Danheiser et al., 1991, "A Practical and Efficient Method for Synthesis of β -Lactones", J. Org. Chem. 56:1176-1185.
CE	Dansky HM; Fisher EA, 1999, "High-density lipoprotein and plaque regression: the good cholesterol gets even better", Circulation 100(17):1762-3.
CF	Decossin et al., 1997, "Subclasses of LpA-I in coronary artery disease: distribution and cholesterol efflux ability", Eur J Clin Invest. 27(4):299-307.
CG	DeSarlo et al., 1971, "Isoxazolin-5-one", J. Chem Soc.86-89.
CH	Eaton et al., 1972, "Hydroxypropylation", J. Org. Chem. 37:1947-50.
CI	Ehlinger, et al., 1980, "Silicon in Synthesis. 10. The (trimethylsilyl)allyl Anion: A β -Acyl anion equivalent for the conversion of aldehydes and ketones into λ -lactones", J. Am. Chem. Soc. 102:5004-11.
CJ	Eisch et al., 1978, "Synthesis of lactones via the titanium-catalyzed hydromagnesiation of alkenols", J. Organo. Met. Chem. 160:C8-C12.
CK	Fielding & Fielding, 1995, "Molecular physiology of reverse cholesterol transport", J Lipid Res. 36(2):211-28.
CL	Fraser et al., 1985, "Acidity measurements in the THF. V. ¹ Heteroaromatic compounds containing 5-membered rings", Can. J. Chem 63:3505-09.
CM	Garegg et al., 1980, "Novel Reagent System for converting a Hydroxy-group into an Iodo-group in carbohydrates with Inversion of Configuration", J.C.S. Perkin I 2866-2868.
CN	Gearing et al., 1993, "Interaction of the peroxisome-proliferator-activated receptor and retinoid X receptor", Proc. Natl. Acad. Sci. USA 90(4):1440-1444.
CO	Gigg et al., 1967, "The Preparation of Unsymmetrical Diglycerides", J. Chem. Soc., C, 431-434.

BW	CP	Green and Kehinde, 1975, "An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion", Cell. 5(1):19-27.
BW	CQ	Greene, T.W., 1999, "Protection for the Hydroxyl Group, Including 1,2- and 1,3-Diols", Protective Groups in Organic Synthesis, 3 rd Edition 17-245.
BW	CR	Harris and Kletzien, 1994, "Localization of a pioglitazone response element in the adipocyte fatty acid-binding protein gene", Mol Pharmacol. 45(3):439-45.
BW	CS	Hayden and Ma, 1992, "Molecular genetics of human lipoprotein lipase deficiency", Mol Cell Biochem. 113(2):171-6.
BW	CT	Heyman, et al., 1992, "9-cis retinoic acid is a high affinity ligand for the retinoid X receptor", Cell 68(2):397-406.
BW	CU	Hidaka and Fidge, 1992, "Affinity purification of the hepatic high-density lipoprotein receptor identifies two acidic glycoproteins and enables further characterization of their binding properties", Biochem. J. 15(Pt1):161-7.
BW	CV	Hirano et al., 1997, "Genetic cholesteryl ester transfer protein deficiency is extremely frequent in the Omagari area of Japan. Marked hyperalphalipoproteinemia caused by CETP gene mutation is not associated with longevity", Arterioscler. Thromb. Vasc. Biol. 17(6):1053-1059.
BW	CW	Hoyer et al., 1986, "Catalysis by acidic clay of the protective tetrahydropyranylation of alcohols and phenols", Synthesis 655-57.
BW	CX	Hudlicky, M., 1996, "Reduction of esters and lactones of carboxylic acids", Reductions in Organic Chemistry, 2 nd Ed., pp 212-217.
BW	CY	Hudlicky, M., 1996, "Reduction of aldehydes and their derivatives", Reductions in Organic Chemistry, 2 nd ed. pp 137-139.
BW	CZ	Ishibashi, et al., 1994, "Massive xanthomatosis and atherosclerosis in cholesterol-fed low density lipoprotein receptor-negative mice", J Clin Invest. 93(5):1885-93.
BW	DA	Ishibashi et al., 1993, "Hypercholesterolemia in low density lipoprotein receptor knockout mice and its reversal by adenovirus-mediated gene delivery", J Clin Invest. 92(2):883-93.
BW	DB	Isseman and Green, 1990, "Activation of a member of the steroid hormone receptor superfamily by peroxisome proliferators", Nature 347(6294):645-650.
BW	DC	Iwai et al., 1966, "Studies on acetylenic compounds. XLIV. ¹ Synthesis of 3-aminoisoxazoles and 3-hydroxyisoxazoles (3-isoxazolones)", Chem. Pharm. Bull. 14:1277-86.
BW	DD	Johnston et al., 1988, "A new, mild heterogeneous catalyst for the tetrahydropyranylation of alcohols and phenols", Synthesis 393-4.
BW	DE	Joule et al., 1995, "Reactivity of Aromatic Heterocycles: Organometallic Derivatives", Heterocyclic Chemistry, 3 rd ed., pp 30-42.
BW	DF	Katritzky et al., 1993, "Generation and Reactions of sp ² -Carbanionic Centers in the Vicinity of Heterocyclic Nitrogen Atoms", Adv. Het. Chem. 56:155-303.
BW	DG	Keller and Wahli, 1993, "Peroxisome proliferator-activated receptors – A link between endocrinology and Nutrition?", TEM, 4:291-296.
BW	DH	Keller et al., 1993, "Fatty acids and retinoids control lipid metabolism through activation of peroxisome proliferator-activated receptor-retinoid X receptor heterodimers", Proc. Natl. Acad. Sci. USA 90(6):2160-2164.
BW	DI	Kessar et al., 1997, "Lewis acid complexation of tertiary amines and related compounds: A strategy for a α -deprotonation and stereocontrol", Chem. Rev. 97:721-37.
BW	DJ	Kletzien et al., 1991, "Enhancement of adipocyte differentiation by an insulin-sensitizing agent", Mol Pharmacol 41(2):393-398.

B1	DK	Kliwer et al., 1992, "Convergence of 9-cis retinoic acid and peroxisome proliferator signalling pathways through heterodimer formation of their receptors", Nature. 27;358(6389):771-4.
B2	DL	Kurata et al., 1998, "A candidate high density lipoprotein (HDL) receptor, HB2, with possible multiple functions shows sequence homology with adhesion molecules", J. Atherosclerosis and Thrombosis 4(3):112-7.
B3	DM	Kurz et al., 1985, "Anomalous selectivities in methyl transfers to water: An explanation using free energy surfaces which model the effects of non-equilibrium solvation", Isr. J. Chem. 26:339-48.
B4	DN	Kurz et al., 1986, "Evidence for a rate-determining solvation change in methyl transfer to water. Solvent dependence of H ₂ O/D ₂ O kinetic isotope effects", J. Am. Chem 108:2960-68.
B5	DO	Lagrost et al., 1996, "Opposite effects of cholesteryl ester transfer protein and phospholipid transfer protein on the size distribution of plasma high density lipoproteins. Physiological relevance in alcoholic patients", J Biol Chem. 271(32):19058-65.
B6	DP	Landshulz et al., 1996, "Regulation of scavenger receptor, class B, type I, a high density lipoprotein receptor, in liver and steroidogenic tissues of the rat", J. Clin. Invest. 98(4):984-995.
B7	DQ	Larock, 1989, Comprehensive Organic Transformations; Ch. 6, VCH: New York, pp 446-448.
B8	DR	Lazarow and Fujiki, 1985, "Biogenesis of peroxisomes", Annu Rev Cell Biol. 1:489-530.
B9	DS	Levin et al., 1992, "9-cis retinoic acid stereoisomer binds and activates the nuclear receptor RXR alpha", Nature 355(6358):359-61.
B10	DT	Ludwig et al., 1989, "Rapid and efficient synthesis of nucleoside 5'-O-(1-thiotriphosphates), 5'-Triphosphates and 2',3'-Cyclophosphorothioates using 2-Chloro-4H-1,3,2-benzodioxaphosphorin-4-one", J. Org. Chem. 54:631-35.
B11	DU	Maddaford et al., 1993, "A general asymmetric synthesis of (-)- α -Dimethylretrodendrin and its diastereomers", J. Org. Chem 58:4132-38.
B12	DV	March, J, 1992, Advanced Organic Chemistry; reactions Mechanisms, and Structure, 4 th ed., pp248-272, 1196-98, 437-438, 920-929.
B13	DW	Masamune et al., 1976, "Tylonolide hemiacetal, the aglycone of tylosin, and its partial synthesis [letter]", J Am Chem Soc. 98(24):7874-5.
B14	DX	Masayuma et al., 2000, "Regio- and diastereocontrol in carbonyl allylation by 1-halobut-2-enes with Tin(II) halides", J Org Chem. 65(2):494-8.
B15	DY	Menger et al., 1981, "Synthetically useful oxidations at solid sodium permanganate surfaces", Tetrahedron Lett. 22:1655-56.
B16	DZ	Miyashita et al., 1977, "Pyridinium <i>p</i> -Toluenesulfonate. A mild and efficient catalyst for the tetrahydropyranylation of alcohols", J. Org. Chem 42:3772-74.
B17	EA	Moffet et al., 1963, "2-(1-Pyrrolidyl)Propanol", Org. Synth. Collect 4:834-5
B18	EB	Mulzer, 1995 Comprehensive Organic Functional Group Transformations Oxford 5
B19	EC	Myers et al., 1992, "Studies on the thermal generation and reactivity of a class of (σ , π)-1,4-biradicals", J. Am. Chem. Soc. 114:9369-86.
B20	ED	Nemali et al., 1988, "Comparison of constitutive and inducible levels of expression of peroxisomal beta-oxidation and catalase genes in liver and extrahepatic tissues of rat", Cancer Res. 48(18):5316-24.

BD	EE	Nystrom et al., 1947, "Reduction of Organic Compounds by Lithium Aluminum Hydride", J. Am. Chem. Soc. 69:1197-1199.
BD	EF	Nystrom et al., 1949, "Lithium borohydride as a reducing agent", J. Am. Chem. 71:3245-47.
BD	EG	Ogata et al., 1969, "Kinetics of the baeyer - Villiger reaction of benzaldehydes with perbenzoic acid in aquoorganic solvents", J. Org. Chem 34: 3985-91.
BD	EH	Olah et al., 1984, "N-Formylmorpholine: A New and Effective Formylating Agent for the Preparation of Aldehydes and Dialkyl (1-Formylalkyl)phosphonates from Grignard or Organolithium Reagents", J. Org. Chem 49:3856-3857.
BD	EI	Okamoto et al., 1985, "Synthesis of Alkyl Dihydrogenphosphate by the Reaction of Alcohols and Silyl Polyphosphate", Bull. Chem. Soc. Jpn. 58:3393-3394.
BD	EJ	Olah et al., 1987, "Formylating Agents", Chem. Rec. 87:4, 671-686.
BD	EK	Olah et al., 1979, "Transformations with Chlorotrimethylsilane/Sodium Iodide, a Convenient in Situ Iodotrimethylsilane Reagent", J. Org. Chem 44:8, 1247-1251.
BD	EL	Oster et al., 1983, "Generation and Reactions of the Dianion of 3-Hydroxy-5-methylisoxazole, a convenient β -Keto Amide Synthons", J. Org. Chem 48:4307-4311.
BD	EM	Parra et al., 1992, "A case-control study of lipoprotein particles in two populations at contrasting risk for coronary heart disease. The ECTIM Study", Arterioscler Thromb. 12:701-707.
BD	EN	Pop et al., 1997, "Allylic and Phenolic Phosphate Esters of Dexanabinol", Org. Prep. And Proc. Int. 29:341-347.
BD	EO	Ramirez et al., 1978, "Phosphorylation by means of cyclic enediol phosphates ¹ ", Acc. Chem. Res. 11:239.
BD	EP	Raunio et al., 1957, "Addition of Propargyl Acetal to Cyclohexanone in the Presence of Sodamide", J. Org. Chem 22:570.
BD	EQ	Reaven, 1993, "Role of insulin resistance in human disease (syndrome X): an expanded definition", Annu Rev Med. 44:121-31.
BD	ER	Reddy and Lalwani, 1983, "Carcinogenesis by hepatic peroxisome proliferators: evaluation of the risk of hypolipidemic drugs and industrial plasticizers to humans", Crit Rev Toxicol. 12(1):1-58.
BD	ES	Reppe, W et al., 1955, Am. Chem, 595: 169-178.
BD	ET	Rigotti et al., 1996, "Regulation by adrenocorticotrophic hormone of the in vivo expression of scavenger receptor class B type I (SR-BI), a high density lipoprotein receptor, in steroidogenic cells of the murine adrenal gland", J. Biol Chem 271(52):33545-9
BD	EU	Robins and Fasulo, 1997, "High density lipoproteins, but not other lipoproteins, provide a vehicle for sterol transport to bile", J Clin Invest. 99(3):380-4.
BD	EV	Sam et al., 1972, "Crown Polyether Chemistry. Potassium Permanganate Oxidations in Benzene", J. Am. Chem. Soc. 94:4024.
BD	EW	Saulnier et al., 1982, "Generation and Reactions of 3-Lithio-1-(phenylsulfonyl) indole", J. Org. Chem 47:757.
BD	EX	Shirley et al., 1995, "Metalation of pyrrole, 1-methylpyrrole, and 1-phenylpyrrole with n-Butyllithium", J. Org. Chem 20:225-31.
BD	EY	Sianesi et al., 1971, "2.4-dihydro-1H-2.1-, 3.4-Dihydro-2H-1.2- und 3.4-Dihydro-1H-2.3-benzothiazin-S.S-dioxid", Chem. Ber. 104:1880-91.
BD	EZ	Skinner et al., 1995, "Benzoylcyanamide from ethyl benzoyltioncarbomate", J. Am. Chem. Soc. 77:5440-42.

FD	FA	Smith et al., 1957, "Nitrogen Compounds of the Phosphoric and Phosphonic Acids, III, Preparation and Properties of Amides of Phenylphosphonic and Phenylphosphonothioic Acids", J. Org. Chem. 22:265-267
FD	FB	Song et al., 1999, "Practical asymmetric synthesis of an endothelin receptor antagonist", J. Org. Chem. 64:9658-67.
FD	FC	Staels and Auwerx, 1998, "Regulation of apo A-I gene expression by fibrates", Atherosclerosis 137 Suppl:S19-23.
FD	FD	Stevens et al., 1982, "Further studies on the utility of sodium hypochlorite in organic synthesis. Selective oxidation of diols and direct conversion of aldehydes to esters", Tetrahedron Lett. 23:4647-4650.
FD	FE	Stowell et al., 1995, "A new method for the phosphorylation of alcohols and phenols", Tetrahedron Lett. 36(11):1825-26.
FD	FF	Sundaraman et al., 1978, "One step conversion of aldehydes to esters", Tetrahedron Lett. 19: 1627-1628.
FD	FG	Sweeney, 1995, "Comprehensive Organic Functional Groups Transformations", Oxford, Vol 2, pp 104-109.
FD	FH	Taravel et al., 1988, "Interglycosidic ^{13}C - ^1H Coupling Constants", Tetrahedron Lett. 29:199-200.
FD	FI	Tomioka et al., 1995, "Catalytic Asymmetric Conjugate Addition of Grignard Reagents Mediated by Copper(I)-Chiral Bidentate Phosphine Complex", Tetrahedron Lett. 36:4275-4278.
FD	FJ	Tontonoz et al., 1994, "Adipocyte-specific transcription factor ARF6 is a heterodimeric complex of two nuclear hormone receptors, PPAR gamma and RXR alpha", Nucleic Acids Res. 22(25):5628-34.
FD	FK	Uhlmann et al., 1986, "Chemical 5' -phosphorylation of oligonucleotides valuable in automated dna synthesis", Tetrahedron Lett. 27:102326.
FD	FL	Ulrich, et al., 1995, "Cultured hepatocytes as investigational models for hepatic toxicity: practical applications in drug discovery and development", Toxicol Lett 82/83:107-15.
FD	FM	Urata et al., 1991, "Transition metal complex catalyzed carbonylation of organic halides in the presence of molecular sieves instead of base", Tetrahedron Lett. 32:36, 4733-36.
FD	FN	Vamecq and Draye, 1989, "Pathophysiology of peroxisomal beta-oxidation", Essays Biochem 24:115-225.
FD	FO	Vogtle et al., 1987, "Doubly Clamped Cope Systems", J. Org. Chem. 52:5560-5564
FD	FP	Blatt ed., 1943, "Gilbert Sulfonation and Related Reactions" pp 135-142, 160-165; Org. Synth. Coll. Vol II, Wiley, NY and Org. Synth. Coll. Vol IV, 1963, Wiley NY 529-531.
FD	FQ	Williams et al., 1988, "Bromine as an oxidant for direct conversion of aldehydes to esters", Tetrahedron Lett. 29:5087-90.
FD	FR	Wilson et al., 1982, "A novel, nonoxidative method for the conversion of aldehydes to esters", J. Org. Chem. 47:1360-61.
FD	FS	Wroblewski and LaDue, 1995, "Lactic dehydrogenase activity in blood", Proc. Soc. Exp. Biol. Med. 90:210-213.
FD	FT	Yanagisawa et al., 1994 "Allylbarium Reagents: unprecedented regio- and stereoselective allylation reactions of carbonyl compounds", J. Am. Chem. Soc. 116:6130-6141
FD	FU	Yoshikawa et al., 1986, "Ruthenium Complex Catalyzed Regioselective Dehydrogenation of Unsymmetrical α,ω -Diols", J. Org. Chem. 51:2034
FD	FV	Yoshikawa et al., 1983, "Catalytic Regioselective Dehydrogenation of Unsymmetrical α,ω -Diols Using Ruthenium Complexes", Tetrahedron Lett. 26:2677-2680

FW	Yu et al., 1988, "A novel reagent for the synthesis of myo-inositol phosphates: <u>n</u> , <u>n</u> -diisopropyl dibenzyl phosphoramidite", Tetrahedron Lett. 29:979-82.
FX	Yunker et al., 1978, "Alpha-oxygenated fatty acids occurring as amides of 2-methylene- β -alanine in a marine sponge", Tetrahedron Lett. 47:4651-52.
EXAMINER	DATE CONSIDERED
<i>[Signature]</i>	<i>2/7/2005</i>
<p>*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	